



## Skoby




název	A	B	D	povrch
S 30	30	12	3	FE
S 40	40	14	3,5	FE
S 50	50	16	3,5	FE
S 60	60	16	4,2	FE
S 80	80	19	4,5	FE
S 100	100	20	5	FE
S 180	180	25	5	FE
S 200	200	25	5	FE

## Kroužky klíčové



název	A	B	materiál
KN 9	∅ 9	1,8	nekaleno
KN 12,6	∅ 12,6	2	nekaleno
KN 14,1	∅ 14,1	2,2	nekaleno
KK 12,6	∅ 12,6	1,8	kaleno
KK 16	∅ 16	2	kaleno
KK 18	∅ 18	2,2	kaleno
KK 20	∅ 20	2,2	kaleno
KK 25	∅ 25	2,2	kaleno
KK 28,5	∅ 28,5	4,2	kaleno
KK 30	∅ 30	2,5	kaleno
KK 34	∅ 34	4,2	kaleno
KK 35	∅ 35	3	kaleno
KK 40	∅ 40	3,2	kaleno

## Krytky matic ozdobné TYP 130 - 034



**barva** černá, bílá  
(ostatní na objednání)

**materiál** PE


**C** výška krytky

**B** max. průměr krytky

závit	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20
klíč	7	8	10	13	17	19	22	24	27	30
B	9,4	9,5	12,5	16,5	18,8	21,5	23,7	26,9	30,3	33,5
C	10,6	10,7	12,8	16,6	20,9	23,5	27,0	29,4	33,3	36,5

závit	M 22	M 24	M 27	M 30	M 33	M 36	M 39	M 42	M 45
klíč	32	36	41	46	50	55	60	65	70
B	36,0	39,3	46,5	51,3	56,2	58,0	61,0	63,1	88,4
C	38,9	43,9	50,0	56,0	59,5	66,0	72,0	76,6	84,0

**Zátky čtvercové TYP 056**



**barva** černá, bílá  
(ostatní na objednávku)

**materiál** PE

**A** vnější rozměr jáklu

**t** síla stěny jáklu


A x A	A	t
10 x 10	10	0,5 - 1,2
10 x 10	10	0,5 - 1,2
10 x 10	10	0,5 - 1,2
10 x 10	10	1,3 - 2,0
10 x 10	10	1,3 - 2,0
10 x 10	10	1,3 - 2,0
12 x 12	12	0,5 - 2,0
12 x 12	12	0,5 - 2,0
12 x 12	12	0,5 - 2,0
13 x 13	13	0,5 - 2,0
13 x 13	13	0,5 - 2,0
13 x 13	13	0,5 - 2,0
13 x 13	13	0,5 - 2,0
15 x 15	15	0,8 - 2,0
15 x 15	15	0,8 - 2,0
15 x 15	15	0,8 - 2,0
15 x 15	15	0,8 - 2,0
16 x 16	16	1,0 - 2,5
16 x 16	16	1,0 - 2,5
16 x 16	16	1,0 - 2,5
16 x 16	16	1,0 - 2,5
18 x 18	18	1,5 - 3,0
18 x 18	18	1,5 - 3,0
18 x 18	18	1,5 - 3,0
20 x 20	20	0,8 - 3,0
20 x 20	20	0,8 - 3,0
20 x 20	20	0,8 - 3,0
22 x 22	22	1,0 - 3,0
22 x 22	22	1,0 - 3,0

A x A	A	t
22 x 22	22	1,0 - 3,0
25 x 25	25	1,0 - 3,0
25 x 25	25	1,0 - 3,0
25 x 25	25	1,0 - 3,0
30 x 30	30	1,0 - 2,5
30 x 30	30	1,0 - 2,5
30 x 30	30	1,0 - 2,5
32 x 32	32	1,0 - 3,5
32 x 32	32	1,0 - 3,5
32 x 32	32	1,0 - 3,5
35 x 35	35	1,0 - 3,0
35 x 35	35	1,0 - 3,0
35 x 35	35	1,0 - 3,0
40 x 40	40	1,0 - 3,0
40 x 40	40	1,0 - 3,0
40 x 40	40	1,0 - 3,0
40 x 40	40	3,0 - 5,0
40 x 40	40	3,0 - 5,0
40 x 40	40	3,0 - 5,0
45 x 45	45	1,0 - 3,0
45 x 45	45	1,0 - 3,0
45 x 45	45	1,0 - 3,0
50 x 50	50	0,8 - 2,5
50 x 50	50	0,8 - 2,5
50 x 50	50	0,8 - 2,5
55 x 55	55	2,0 - 4,5

A x A	A	t
55 x 55	55	2,0 - 4,5
55 x 55	55	2,0 - 4,5
60 x 60	60	1,5 - 3,5
60 x 60	60	1,5 - 3,5
60 x 60	60	1,5 - 3,5
70 x 70	70	2,0 - 4,5
70 x 70	70	2,0 - 4,5
70 x 70	70	2,0 - 4,5
80 x 80	80	2,0 - 4,0
80 x 80	80	2,0 - 4,0
80 x 80	80	2,0 - 4,0
90 x 90	90	3,0 - 5,0
90 x 90	90	3,0 - 5,0
90 x 90	90	3,0 - 5,0
100 x 100	100	1,0 - 4,0
100 x 100	100	1,0 - 4,0
100 x 100	100	1,0 - 4,0
110 x 110	110	3,0 - 5,0
110 x 110	110	3,0 - 5,0
110 x 110	110	3,0 - 5,0
120 x 120	120	2,5 - 5,0
120 x 120	120	2,5 - 5,0
120 x 120	120	2,5 - 5,0
140 x 140	140	4,0 - 7,0
140 x 140	140	4,0 - 7,0
140 x 140	140	4,0 - 7,0

Zajistíme normy a rozměry, které nejsou uvedeny.

**Zátky obdélníkové TYP 057**



**barva** černá, bílá  
(ostatní na objednávku)

**materiál** PE

**A** vnější rozměr strany jáklu

**B** vnější rozměr strany jáklu


**t** síla stěny jáklu

A x B	A	B	t	A x B	A	B	t	A x B	A	B	t
20 x10	20	10	0,8 - 2,0	40 x20	40	20	1,0 - 2,5	60 x40	60	40	1,0 - 3,0
20 x10	20	10	0,8 - 2,0	40 x20	40	20	1,0 - 2,5	60 x40	60	40	1,0 - 3,0
20 x10	20	10	0,8 - 2,0	40 x20	40	20	1,0 - 2,5	60 x40	60	40	1,0 - 3,0
20 x15	20	15	1,0 - 2,0	40 x25	40	25	1,0 - 3,0	60 x50	60	50	1,5 - 3,5
20 x15	20	15	1,0 - 2,0	40 x25	40	25	1,0 - 3,0	60 x50	60	50	1,5 - 3,5
20 x15	20	15	1,0 - 2,0	40 x25	40	25	1,0 - 3,0	60 x50	60	50	1,5 - 3,5
20 x16	20	16	0,8 - 2,5	40 x30	40	30	1,0 - 3,0	70 x20	70	20	1,0 - 2,0
20 x16	20	16	0,8 - 2,5	40 x30	40	30	1,0 - 3,0	70 x20	70	20	1,0 - 2,0
20 x16	20	16	0,8 - 2,5	40 x30	40	30	1,0 - 3,0	70 x20	70	20	1,0 - 2,0
25 x10	25	10	0,8 - 2,0	45 x20	45	20	1,0 - 3,0	70 x25	70	25	1,0 - 2,0
25 x10	25	10	0,8 - 2,0	45 x20	45	20	1,0 - 3,0	70 x25	70	25	1,0 - 2,0
25 x10	25	10	0,8 - 2,0	45 x20	45	20	1,0 - 3,0	70 x25	70	25	1,0 - 2,0
25 x15	25	15	0,8 - 2,5	45 x25	45	25	1,0 - 3,0	70 x30	70	30	1,0 - 2,0
25 x15	25	15	0,8 - 2,5	45 x25	45	25	1,0 - 3,0	70 x30	70	30	1,0 - 2,0
25 x15	25	15	0,8 - 2,5	45 x25	45	25	1,0 - 3,0	70 x30	70	30	1,0 - 2,0
25 x20	25	20	1,0 - 3,0	50 x10	50	10	0,8 - 2,0	70 x40	70	40	1,0 - 2,0
25 x20	25	20	1,0 - 3,0	50 x10	50	10	0,8 - 2,0	70 x40	70	40	1,0 - 2,0
25 x20	25	20	1,0 - 3,0	50 x10	50	10	0,8 - 2,0	70 x40	70	40	1,0 - 2,0
30 x10	30	10	0,8 - 2,0	50 x20	50	20	1,0 - 3,0	70 x50	70	50	2,0 - 5,0
30 x10	30	10	0,8 - 2,0	50 x20	50	20	1,0 - 3,0	70 x50	70	50	2,0 - 5,0
30 x10	30	10	0,8 - 2,0	50 x20	50	20	1,0 - 3,0	70 x50	70	50	2,0 - 5,0
30 x15	30	15	0,8 - 2,5	50 x25	50	25	0,8 - 3,0	80 x20	80	20	1,0 - 2,0
30 x15	30	15	0,8 - 2,5	50 x25	50	25	0,8 - 3,0	80 x20	80	20	1,0 - 2,0
30 x15	30	15	0,8 - 2,5	50 x25	50	25	0,8 - 3,0	80 x20	80	20	1,0 - 2,0
30 x20	30	20	1,0 - 3,0	50 x30	50	30	1,0 - 3,0	80 x30	80	30	1,0 - 2,5
30 x20	30	20	1,0 - 3,0	50 x30	50	30	1,0 - 3,0	80 x30	80	30	1,0 - 2,5
30 x20	30	20	1,0 - 3,0	50 x30	50	30	1,0 - 3,0	80 x30	80	30	1,0 - 2,5
30 x25	30	25	0,8 - 3,0	50 x34	50	34	1,0 - 3,5	80 x40	80	40	1,0 - 3,0
30 x25	30	25	0,8 - 3,0	50 x34	50	34	1,0 - 3,5	80 x40	80	40	1,0 - 3,0
30 x25	30	25	0,8 - 3,0	50 x34	50	34	1,0 - 3,5	80 x40	80	40	1,0 - 3,0
35 x15	35	15	1,0 - 3,0	50 x40	50	40	1,5 - 2,0	80 x50	80	50	2,0 - 4,0
35 x15	35	15	1,0 - 3,0	50 x40	50	40	1,5 - 2,0	80 x50	80	50	2,0 - 4,0
35 x15	35	15	1,0 - 3,0	50 x40	50	40	1,5 - 2,0	80 x50	80	50	2,0 - 4,0
35 x20	35	20	1,0 - 2,5	55 x34	55	34	1,5 - 4,0	80 x60	80	60	1,5 - 3,5
35 x20	35	20	1,0 - 2,5	55 x34	55	34	1,5 - 4,0	80 x60	80	60	1,5 - 3,5
35 x20	35	20	1,0 - 2,5	55 x34	55	34	1,5 - 4,0	80 x60	80	60	1,5 - 3,5
35 x25	35	25	1,0 - 3,0	60 x20	60	20	1,0 - 3,0	90 x50	90	50	2,0 - 4,5
35 x25	35	25	1,0 - 3,0	60 x20	60	20	1,0 - 3,0	90 x50	90	50	2,0 - 4,5
35 x25	35	25	1,0 - 3,0	60 x20	60	20	1,0 - 3,0	90 x50	90	50	2,0 - 4,5
40 x10	40	10	1,5 - 2,0	60 x25	60	25	1,0 - 2,5	90 x70	90	70	3,0 - 5,5
40 x10	40	10	1,5 - 2,0	60 x25	60	25	1,0 - 2,5	90 x70	90	70	3,0 - 5,5
40 x10	40	10	1,5 - 2,0	60 x25	60	25	1,0 - 2,5	90 x70	90	70	3,0 - 5,5
40 x15	40	15	1,0 - 2,0	60 x30	60	30	1,0 - 2,5	100 x30	100	30	1,5 - 3,5
40 x15	40	15	1,0 - 2,0	60 x30	60	30	1,0 - 2,5	100 x30	100	30	1,5 - 3,5
40 x15	40	15	1,0 - 2,0	60 x30	60	30	1,0 - 2,5	100 x30	100	30	1,5 - 3,5

OSTATNÍ

22

## Zátky obdélníkové TYP 057



**barva** černá, bílá  
(ostatní na objednávku)

**materiál** PE

**A** vnější rozměr strany jáklu

**B** vnější rozměr strany jáklu


**t** síla stěny jáklu

A x B	A	B	t
100 x40	100	40	1,5 - 4,0
100 x40	100	40	1,5 - 4,0
100 x40	100	40	1,5 - 4,0
100 x50	100	50	2,0 - 4,5
100 x50	100	50	2,0 - 4,5
100 x50	100	50	2,0 - 4,5
100 x60	100	60	2,5 - 4,5
100 x60	100	60	2,5 - 4,5
100 x60	100	60	2,5 - 4,5
100 x80	100	80	3,0 - 5,5
100 x80	100	80	3,0 - 5,5
100 x80	100	80	3,0 - 5,5
110 x60	110	60	3,5 - 5,5
110 x60	110	60	3,5 - 5,5
110 x60	110	60	3,5 - 5,5

A x B	A	B	t
110 x70	110	70	3,0 - 5,0
110 x70	110	70	3,0 - 5,0
110 x70	110	70	3,0 - 5,0
120 x30	120	30	1,0 - 2,5
120 x30	120	30	1,0 - 2,5
120 x30	120	30	1,0 - 2,5
120 x40	120	40	3,0 - 5,0
120 x40	120	40	3,0 - 5,0
120 x40	120	40	3,0 - 5,0
120 x50	120	50	3,0 - 5,5
120 x50	120	50	3,0 - 5,5
120 x50	120	50	3,0 - 5,5
120 x60	120	60	2,0 - 4,0
120 x60	120	60	2,0 - 4,0
120 x60	120	60	2,0 - 4,0

A x B	A	B	t
120 x80	120	80	2,0 - 5,5
120 x80	120	80	2,0 - 5,5
120 x80	120	80	2,0 - 5,5
120 x100	120	100	3,5 - 6,0
120 x100	120	100	3,5 - 6,0
120 x100	120	100	3,5 - 6,0
140 x80	140	80	2,0 - 4,5
140 x80	140	80	2,0 - 4,5
140 x80	140	80	2,0 - 4,5
150 x50	150	50	2,0 - 4,0
150 x50	150	50	2,0 - 4,0
150 x50	150	50	2,0 - 4,0
150 x100	150	100	3,0 - 8,0
150 x100	150	100	3,0 - 8,0
150 x100	150	100	3,0 - 8,0

**Zátky kruhové (hlava rovná) TYP 085**



**barva** černá, bílá  
(ostatní na objednávku)

**materiál** PE

**D** vnější rozměr trubky

**t** síla stěny jáklu

D	t	D	t	D	t	D	t	D	t	D	t
10	0,8-1,5	20	3,5-4,0	30	0,8-2,5	36	6,0-6,5	45	5,0-5,5	88.9	1,8-4,0
12	0,8-2,0	21	0,8-2,5	30	2,5-4,5	36	6,5-7,0	46	1,5-3,5	90	2,5-5,0
12	2,5-3,0	21	2,5-3,0	32	0,8-2,5	37	1,0-3,0	48.3	1,2-3,6	95	1,5-4,0
13	0,8-2,0	22	0,8-3,0	32	2,5-4,5	37	3,0-3,5	48.3	2,5-5,2	100	2,0-4,5
13	2,0-2,5	22	1,8-3,5	32	3,5-5,5	37	4,0-4,5	50	1,0-2,5	101.6	3,6-6,0
13	3,0-3,5	22	4,5-5,0	34	1,0-3,0	37	4,5-5,0	50	2,5-4,5	102	2,0-4,0
14	0,8-2,0	23	0,8-3,0	34	3,0-3,5	37	5,0-5,5	50	3,3-6,0	105	2,0-4,5
14	2,0-2,5	23	3,0-3,5	34	3,5-4,0	38	1,0-3,5	50	7,5-8,0	108	2,9-5,0
14	2,5-3,0	23	3,5-4,0	34	5,0-5,5	38	3,0-5,0	50.8	1,2-3,0	110	2,0-4,5
14	3,5-4,0	24	0,8-2,5	34	5,5-6,0	38	5,0-5,5	52	1,5-3,5	114.3	3,2-5,5
15	0,8-2,0	24	2,5-3,0	34	6,0-6,5	38	5,5-6,0	55	1,0-3,0	120	2,0-4,0
15	2,0-2,5	24	3,0-3,5	35	1,0-3,0	38.1	5,5-6,0	55	3,0-5,0	125	2,0-6,0
15	2,5-3,0	24	3,5-4,0	35	2,5-4,5	40	1,0-3,0	60	1,5-3,0	130	2,0-6,0
15	3,0-3,5	24	4,0-4,5	35	5,0-5,5	40	3,0-5,0	60	3,0-5,0	133	2,0-6,0
15	4,0-4,5	25	1,0-3,0	35	5,5-6,0	40	5,5-6,0	63.5	1,5-3,5	140	2,0-6,5
16	0,8-2,0	25	3,0-5,0	35	6,0-6,5	40	6,0-6,5	65	1,5-3,5	150	2,0-7,0
16	2,0-2,5	25	6,0-6,5	35	6,0-6,5	42	0,8-2,5	70	2,0-4,5	159	2,0-6,5
18	0,8-2,5	26	1,0-3,0	36	1,0-3,0	42	2,0-4,0	75	1,0-3,5	160	2,5-7,0
18	2,5-3,0	27	1,0-3,0	36	3,5-4,0	43	2,0-2,5	76.1	1,6-4,0	168.3	2,0-6,5
18	3,0-3,5	28	0,8-2,5	36	4,0-4,5	43	3,0-3,5	80	1,5-3,0		
19	0,8-2,5	28	2,5-3,0	36	4,5-5,0	45	0,8-3,5	82.6	2,0-4,5		
20	0,8-2,5	28	3,0-3,5	36	5,5-6,0	45	3,0-5,0	85	1,5-4,0		